



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL811311

Test Date 10/5/2020

Description: Self Retracting Device

SRL811311 50 ft. Retractable galvanized cable, swivel top composite housing, $\frac{3}{4}$ " load indicator hook, $\frac{1}{2}$ " carabiner and 50ft. tagline included. Blue housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014 Class B. 007-00829-10153-6

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL811311

Test Date 9/30/2020

Description: Self Retracting Device

SRL811311 50 ft. Retractable galvanized cable, swivel top composite housing, $\frac{3}{4}$ " load indicator hook, $\frac{1}{2}$ " carabiner and 50ft. tagline included. Blue housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014 Class B. 007-00829-10153-6

Configuration: 4' Free Fall



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL811311

Test Date 10/6/2020

Description: Self Retracting Device

SRL811311 50 ft. Retractable galvanized cable, swivel top composite housing, $\frac{3}{4}$ " load indicator hook, $\frac{1}{2}$ " carabiner and 50ft. tagline included. Blue housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014 Class B. 007-00829-10153-6

Configuration: 4' Free Fall



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL 811311

Test Date 10/26/2020

Description: Self Retracting Device

SRL811311 50 ft. Retractable galvanized cable, swivel top composite housing, $\frac{3}{4}$ " load indicator hook, $\frac{1}{2}$ " carabiner and 50ft. tagline included. Blue housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014 Class B. 007-00829-10153-6

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: **SRL811311**

Test Date **2/5/2021**

Description: **Self Retracting Device**

SRL811311 50 ft. Retractable galvanized cable, swivel top composite housing, 3/4" load indicator hook, 1/2" carabiner and 50ft. tagline included. Blue housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014 Class B. 007-00829-10153-6

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL811311

Test Date 2/5/2021

Description: Self Retracting Device

SRL811311 50 ft. Retractable galvanized cable, swivel top composite housing, 3/4" load indicator hook, 1/2" carabiner and 50ft. tagline included. Blue housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014 Class B. 007-00829-10153-6

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL811311

Test Date 2/5/2021

Description: Self Retracting Device

SRL811311 50 ft. Retractable galvanized cable, swivel top composite housing, 3/4" load indicator hook, 1/2" carabiner and 50ft. tagline included. Blue housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014 Class B. 007-00829-10153-6

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL711212

Test Date 1/4/2021

Description: Self Retracting Device

SRL711212 30 ft. leading Edge galvanized cable, 3/4"
load indicator hook, 1/2" carabiner. Meets or Exceeds
ANSI Z359.14-2014

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL1411212

Test Date 1/4/2021

Description: Self Retracting Device

SRL1411212 SRD 9' Leading Edge Single Galvanized Cable with Small hook, 9' retractable galvanized cable, swivel top composite housing, 3/4" load indicator hook, 1/2" carabiner included. Black housing. Meets or exceeds ANSI Z359.14-2014

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: H21100021

Test Date 1/20/2021

Description: Full Body Harness

H21100021 Black top, black bottom. Full body harness with 5 point adjustment, dorsal D-ring, pass through leg straps. Universal size. Meets or Exceeds ANSI Z359.11 -2014. A10.32-2012. 007-00829-10192-5

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: H222100081

Test Date 1/14/2021

Description: Full Body Harness

H222100081 High Vis Green top, Black Heavy duty bottom with 5 point adjustment, Quick Connect Chest, grommet leg straps. Meets or Exceeds ANSI Z359.11 -2014

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: H222100141

Test Date 1/14/2021

Description: Full Body Harness

H222100141 5 Point adjustment, Orange Top, Black heavy duty bottom, Quick connect chest, Grommet Legs, Aluminum Dorsal D-ring, Sewn in back pad.
Meets or Exceeds ANSI Z359. 11-2014

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: H212101131

Test Date 1/12/2021

Description: Full Body Harness

H212101131 Blue Top, Black Heavy-Duty Bottom with 5 point adjustment Quick Connect Chest, Grommet Legs, Hip D-Rings, Sewn in Back Pads. With SRL Loop Universal size. Meets or Exceeds ANSI Z359.11-2014. A10.32-2012. 007-00829-10290-8

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: H21210116

Test Date 1/12/2021

Description: Full Body Harness

H21210116 5 Point Adjustment, Pass through chest, tongue and buckle legs, Hip D-Rings, Sewn in Back pad. Meets or Exceeds ANSI Z359.11-2014

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: H21210115

Test Date 1/11/2021

Description: Full Body Harness

H21210115 Yellow Top, Black Heavy-Duty Bottom with 5 point adjustment Pass Through Chest, Grommet Legs, Hip D-Rings, Sewn in Back Pads. Universal size. Meets or Exceeds ANSI Z359.11-2014. A10.32-2012. 007-00829-10198-7

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: H211100021

Test Date 12/22/2020

Description: Full Body Harness

H211100021 Black top, black bottom. Full body harness with 5 point adjustment, dorsal D-ring, pass through leg straps. Universal size. Meets or Exceeds ANSI Z359.11 -2014. A10.32-2012. 007-00829-10192-5

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: H212100574

Test Date 12/22/2020

Description: Full Body Harness

H212100574 Black top, black padding, 5 point, QCB, padded back sewn in, grommet padded legs. Positioning belt black. 3 D-ring. Oil & Dust Resistant. Universal size. Meets or Exceeds ANSI Z359.11-2014. A10.32-2012. 007-00829-10211-3

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: H212100511

Test Date 12/22/2020

Description: Full Body Harness

H212100511 Red top, black bottom. Full body harness with 5 point adjustment, dorsal D-ring, gromet leg straps, Fall Indicators. Universal size. This is a premium harness with full padding shoulder/back and legs. Meets or Exceeds ANSI Z359.11-2014. A10.32-2012. 007-00829-10210-6

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: H212111031

Test Date 12/22/2020

Description: Full Body Harness

H212111031 5 Pont Adjustment, Blue top, black bottom, front d-ring, dorsal d-ring, grommet leg straps, Hip d-rings. Meets or Exceeds ANSI Z359.11 -2014, A10.32-2013

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: H222100111

Test Date 12/9/2020

Description: Full Body Harness

H222100111 Red top, black bottom. Full body harness with 5 point adjustment, dorsal D-ring, gromet leg straps, Fall Indicators. Universal size. This is a premium harness with padded shoulder. SRL Loop. Meets or Exceeds ANSI Z359.11-2014. A10.32-2012. 007-00829 -10291-5

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: H212300031

Test Date 12/9/2020

Description: Full Body Harness

H212300031 5 Point Adjustment, Blue top, Black bottom,
Grommet leg. Meets or Exceeds ANSI Z359.11-2014.
A10.32-2012

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: H134200021

Test Date 12/9/2020

Description: Full Body Harness

H134200021 Orange Full body harness with 3 point adjustment, loop dorsal D-ring, mating buckle chest and leg straps. All Dielectric hardware. Fall Indicators. Universal size. Meets or Exceeds ANSI Z359.11-2014. A10.32-2012. 007-00829-10193-2

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: H222101123

Test Date 12/9/2020

Description: Full Body Harness

H222101123 5 point adjustment harness, dorsal D-ring, hip D-rings, heavy duty back support/positioning pad with removable tool belt, Tongue buckle leg straps. Quick connect chest. Sewn in back pad. Fall indicators. Multiple sizes available. Meets or Exceeds ANSI Z359.11 -2014. A10.32-2012

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: L111111

Test Date 1/12/2021

Description: Energy Absorbing Lanyard

L111111 6ft. Single leg Shock absorber lanyard, 3/4" hook
Yellow webbing, blue color shock pack. Meets or
Exceeds ANSI Z359.13-2013 007-00829-10222-9

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: L122233

Test Date 1/12/2021

Description: Energy Absorbing Lanyard

L122233 6ft. double leg, stretch, internal shock absorbing lanyard, 3/4" hook. Red webbing. Meets or Exceeds ANSI Z359.13-2013. 007-00829-10220-5

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: L112111

Test Date 1/12/2021

Description: Energy Absorbing Lanyard

L112111 6ft. Single leg Shock absorbing lanyard, 2¼" hook. Yellow webbing, blue color shock pack. Meets or Exceeds ANSI Z359.13-2013 007-00829-10223-6

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: L112221

Test Date 1/12/2021

Description: Energy Absorbing Lanyard

L112211 6ft. Double leg Shock absorbing lanyard, 2¼" hook. Yellow webbing, blue color shock pack. Meets or Exceeds ANSI Z359.13-2013 007-00829-10225-0

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL1411222

Test Date 2/18/2021

Description: Self Retracting Device

SRD 9' Leading Edge Single Galvanized Cable with Steel Rebar hook, 9' retractable galvanized cable, swivel top composite housing, 2-1/2" galvanized rebar hook, 1/2" carabiner included. Black housing. Meets or exceeds ANSI/ASSE Z359.14-2014 Class B SRL-LE.

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL121142

Test Date 2/18/2021

Description: Self Retracting Device

SRL121142 6ft. Retractable web, light weight plastic housing, external shock-pack, 2¼" hook aluminium , ½" carabiner included. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014 Class A. 007-00829 -10143-7

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: V5501

Test Date 3/31/2021

Description: Roofing Bucket Kit

Roofing kit. 5 pt. Harness, 50 ft. lifeline with attached rope grab with shock absorbing lanyard and 3/4" hooks, Roof anchor, Meets or Exceeds ANSI Z359.11-2014, Z359.18-2017, Z359.13-2013, Z359.15-2014.

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: C3003

Test Date 3/31/2021

Description: Energy Absorbing Lanyard

5/8" Large Bail Yellow Chromate Finish Rope Grab, attached 3 ft. shock absorbing web lanyard and 3/4" hook. Meets or exceeds ANSI Z359.1-2007.

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL511311

Test Date 8/8/2022

Description: Self Retracting Device

15' retractable galvanized cable, swivel top composite housing, 3/4" load indicator hook, 1/2" carabiner with tagline included. Blue housing. Meets or exceeds ANSI Z359.14-2014 Class B.

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL411321

Test Date 11/16/2022

Description: Self Retracting Device

11 ft. retractable galvanized cable, swivel top plastic housing, built-in shock absorber, 2-1/4" load indicator hook, 1/2" carabiner, blue housing, minimum breaking strength 4500 lbs., rated for 420 lbs. Meets or exceeds ANSI Z359.14-2012 Class B.

Configuration:



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808