



• Fall Protection • Competent Training • Netting • PPE

## Declaration of Conformance

Model No: SRL711212

Test Date 7/6/2022

Description: Self Retracting Device

30 ft. Leading Edge Retractable with galvanized cable, 3/4" load indicator hook, 1/2" carabiner. Black Housing. Min breaking strength 3000 lbs. Meets or Exceeds ANSI Z359.14-2014, ANSI Z359.14-2014 SRL-LE.

Configuration:



[www.palmersafetyus.com](http://www.palmersafetyus.com) // [info@palmersafetyus.com](mailto:info@palmersafetyus.com) // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

## Declaration of Conformance

Model No: SRL711212

Test Date 5/20/2022

Description: Self Retracting Device

30 ft. Leading Edge Retractable with galvanized cable, 3/4" load indicator hook, 1/2" carabiner. Black Housing. Min breaking strength 3000 lbs. Meets or Exceeds ANSI Z359.14-2014, ANSI Z359.14-2014 SRL-LE.

Configuration:



[www.palmersafetyus.com](http://www.palmersafetyus.com) // [info@palmersafetyus.com](mailto:info@palmersafetyus.com) // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

# Declaration of Conformance

Model No: SRL711212

Test Date 1/4/2021

Description: Self Retracting Device

SRL711212 30 ft. leading Edge galvanized cable, 3/4" load indicator hook, 1/2" carabiner. Meets or Exceeds ANSI Z359.14-2014

Configuration:



[www.palmersafetyus.com](http://www.palmersafetyus.com) // [info@palmersafetyus.com](mailto:info@palmersafetyus.com) // 504-733-1808